

MATERIAL SAFETY DATA SHEET

Revised: APR 11, 2020

1. PRODUCT AND COMPANY INFORMATION

Product Name: PET/Acrylic adhesive tape: CT280

Chemical name: Polyethylene Terephthalate (PET) Film

Acrylic adhesive

2. HAZARDOUS INGREDIENTS & EXPOSURE LIMITS

When used under reasonable conditions or in accordance with our directions of use, the product should not present a health and safety hazard.

However, use or processing of the product in a manner not in accordance with the directions for use may effect its performance and present potential health and safety hazards.

3. HAZARD IDENTIFICATION

Inhalation: Not a probable route of exposure for film.

For the polymer from which the film is made, we recommends treating polymer dust as a nuisance particulates.

Skin contact: Contact with the pressure-sensitive adhesive face May cause skin irritation or injury.

Eye contact: Not a probable route of exposure for film.

Ingestion: Not a probable route of exposure for film.

4. FIST AID MAESURES

It is not anticipated that any first-aid requirements will be necessary from normal industrial handling of this material.

5. FIRE AND EXPLOSTION HAZARD DATA

This material will burn if exposed to flame. Fire fighters should protect themselves from combustion products that may include carbon dioxide, carbon monoxide and other toxic gases. Wear self-contained breathing apparatus and complete personal protective equipment when potential form exposure to products of combustion exists. Fire and extinguishing media include water, carbon dioxide, foam or dry chemical.

6. ACCIDENTAL RELEASE MEASURES

Spill and Leak Procedures: Broken pieces, cuttings, or other debris should be swept or vacuumed.



7. STORAGE

Store in cool, dry, and ventilate area. Protect against physical damage. Store away from ignition sources.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Appropriate Hygienic Practies: Wash thoroughly after handling, and before eating, drinking or smoking.

Personal Protective Equipment: Not normally required for normal industrial handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Self-bonding tape, in different colours.

Boil Point: N/A
Vapor pressure(mm Hg): N/A
Solubility in Water: Insoluble
Specific Gravity: Avg. 1.7
pH: N/A
Evaporation Rate: N/A
Melting point: N/A

10. STABILITY AND REACTIVITY

Chemical Stability: Stable

Incompatibilities: None reasonably foreseeable

Decomposition products: See section 5 Polymerization: Will not occur

Conditions to Avoid: Flame

11. TOXICOLOGICAL INFORMATION

No data at this time

12. ECOLOGICAL INFORMATION

No data at this time

13. DISPOSAL CONSIDERATIONS

Used or unused products should be disposed in accordance with Federal, State, or local laws or regulations



14. TRANSPORT INFORMATION

Not regulated

15. REGULAORTY INFORMATION

Regulatory References:

OSHA: Occupational Health and Safety Administration

NTP: National Toxicology Program

USDOT: United States Department of Transportation

TSCA: Toxic Substances Control Act (USA)

SARA: Superfund Amendments and Reauthorization Act

16. OTHER INFORMATION

The information presented in this MSDS was from sources which believed to be reliable; however, the information is provided without any representation or warranty, expressed or implied, regarding accuracy or correctness.

DISCLAIMER:

The information presented in this MSDS was obtained from sources which believed to be reliable; however, the information is provided without any representation or warranty, expressed or implied, regarding accuracy or correctness.





Material Safety Data Sheet

Revision Date
February 24th, 2010
Head Office
21604 Gentry Lane, Brookeville, MD, 20833

Technical Information 1-301-975-9798 or support@semicro.org

This Material Safety Data Sheet (MSDS) was prepared solely for the reference of and as a courtesy to SEMicro customers. The adhesive tape product to which this MSDS refers is a manufactured item that meets the definition of an "article" under the OSHA Hazard Communication Standard ("Standard"), which exempts articles from the requirements of the standard, including the requirement to provide an MSDS.

This product under normal conditions of use would not release hazardous chemicals nor pose a physical hazard or health risk such that the Standard would require SEMicro to provide an MSDS. However, failure to use this product in accrodance with SEMicro's recommendations or under normal conditions could result in potential physical hazards, health risks, or other problems.

For updates please download from www.semicro.org or phone 1-301-975-9798.

Section 1: Product Identification

Name: Pressure Sensitive Tape Related Part Numbers: CHT

Section 2: Hazardous Ingredients

CAS#Ingredient% by weightProprietarySynthetic Latex Saturated Paper50-60 %ProprietaryRubber Adhesive40-50 %

Section 3: Hazards Identification

HMIS III Ratings:

Health 1 Flammability 1 Physical Hazard 0 Personal Protection B

Eyes: May cause eye irritation by mechanical abrasion or by sensitivity to polymers.

Skin: May cause skin irritation by mechanical abrasion or by sensitivity to polymers.

Inhalation: (Of vapors): May cause headache and possible dizziness.

Chronic: None.



Note: If this product is subject to combustion it will undergo hazardous decomposition that will yield the formation and release of hazardous substances including but not limited to carbon dioxide, carbon monoxide, polycyclic organic matter, and smoke. Exposure may cause irritation of the eyes, skin, and respiratory tract. Symptoms such as coughing, tearing, and irritation should be regarded as potentially hazardous and measures should be taken to avoid exposure.

PAGE 1/4









Section 4: First Aid Measure

Eyes: Remove contact lenses (if necessary). Flush with water or saline for 15 minutes. Get medical aid if irritation persists.

Thoroughly wash skin with soap and water. Get medical aid if irritation develops or persists.

Inhalation: (Of vapors): Remove from exposure to fresh air.

Ingestion: Do not give anything by mouth to an unconscious person. Get medical aid.

Section 5: Fire Fighting Measures

Autoignition Temperature: Not Determined Flash Point: Not Determined LEL / UEL: Not Determined

Hazardous Productsof Combustion:
If this product is subject to combustion it will undergo hazardous decomposition that will yield the formation and release of hazardous substances including but not limited to carbon dioxide, carbon

monoxide, polycyclic organic matter and smoke.

Fire & Explosion Hazards: Minimal fire hazard as supplied. Polymers in adhesive and cloth will support combustion.

Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or chemical foam.

Fire Fighting Instruction: Wear a self-contained breathing apparatus with a full face piece operated in the positive pressure

demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.

Section 6: Accidental Release Measures

Not Applicable.

Skin:

Section 7: Handling and Storage

Handling: Material will be tacky/sticky. Recommend the use of light weight cloth or leather gloves for actual handling of material.

Storage: Keep away from sources of ignition.

Store in an area with a temperature in the range of 10-27 °C (50-80 °F) for maximum shelf life. Keep from freezing.

Recommended storage in area with <75% Relative Humidity for maximum shelf life.

Section 8: Exposure Controls

Eye Protection: Safety glasses with side-shields recommended.

Ventilation: Use adequate general or local exhaust ventilation to reduce effects of prolonged inhalation of vapor.

Skin Protection: Normal lightweight work clothing will minimize skin contact. Use of leather gloves recommended.

Engineering Controls: No special engineering controls are required.

Exposure Controls: Not Applicable.

Section 9: Physical and Chemical Properties

Physical:Solid atOdor:etherealSolubility:NegligibleEvaporation:N/A

State: Ambient Temp Rate:

Boiling N/A Freezing N/A Specific N/A Vapor N/A pH: N/A Point: Gravity: Density:

Viscosity: N/A Molecular N/A Melting N/A % Volatiles: <1% Weight: Point:

PAGE 2/4









Section 10: Stability and Reactivity

Chemical Stability: Stable.

Conditions to avoid: Ignition sources and incompatible substances.

Incompatibilities: Strong acids and oxidizing agents.

Polymerization: Not anticipated under normal or recommended handling, use, or storage conditions.

Decomposition: Not anticipated under normal or recommended handling, use, or storage conditions.

If this product is subject to combustion it will undergo hazardous decomposition that will yield the formation and release of hazardous substances including but not limited to carbon dioxide, carbon monoxide, polycyclic

organic matter and particulate matter. This is not the intended use for this product.

Section 11: Toxicological Information

Exposure to chemicals and possible effects will not occur with normal use.

Section 12: Ecological Information

No Data.

Section 13: Disposal Information

Waste Management Information:

This material is considered to be non-hazardous under EPA's RCRA regulations. Dispose of per appropriate

local regulations. Product is not recyclable.

Section 14: Transportation Information

DOT Description: Material is not a hazardous material when shipped.

Container / Mode: Various sized packages can be utilized for shipping this material.

NOS Component: None.

RQ (Reportable Quantity)

49 CFR 172.101:

Product Quantity (lbs) - None.

Other Transportation

Information:

The DOT Transport Information may vary with the container and mode of shipment.

Section 15: Regulatory Information

US Federal Regulations

TSCA (Toxic Substances Control Act) Status: (US) The intentional ingredients of the product are listed.

DSL (Canada): The intentional ingredients of the product are listed.

 CERCLA RQ - 40 CFR 302.4 (a):
 None.

 CERCLA RQ - 40 CFR 302.4 (b):
 None.

 SARA 302 Components 0 40 CFR 355 App. A:
 None.

Section 311/312 Hazard Class – 40 CFR 370.2: Immediate (X) Delayed () Fire (X) Reactive () Sudden Release of Pressure ()

Immediate for the molten liquid state only.

OSHA Process Safety Management 29 CFR 1910: None Listed.

EPA Accidental Release Prevention 40 CFR 68: None Listed.

PAGE 3/4









Section 15: Regulatory Information (continued)

State and Local Regulations

California Proposition 65: The following statement is made in order to comply with the California Safe Drinking Water and

Toxic Enforcement Act of 1986: "SEMicro hereby certifies that, to the best of its knowledge, this product does not contain chemicals known to the State of California to cause cancer or reproductive

toxicity ('Proposition 65 Chemicals') at levels which would require a warning.

EU Directives: 94/62/EC - Packaging and Packaging Waste Directive and CONEG Model legislation for the

restriction of metals in packaging. Complies with standard of less than 100 PPM total concentration

Cd, Cr[^](+6), Hg and Pb.

2002/95/EC - Restriction on the use of certain hazardous substances in electrical and electronic

equipment. Complies with this standard with less than 100 PPM total concentration Cd, Cr^(+6), Hg

and Pb. This product does not utilize brominated flame retardants.

Product is defined as an article under REACH, as mandated by the European Union (EU) and REACH:

European Economic Area (EEA), and contains no "substances of very high concern" in a concentration above 0.1% (w/w) as promulgated 28 October 2008 on the Candidate List of

Substances of Very High Concern.

Section 16: Other Information

Definitions: n/a = not applicable, n/e = not established

As defined by the Code of Federal Regulations 1910. 1200, this product is considered to be an article, defined in the regulation as a "manufactured item other than a fluid or a particle: (I) which is formed to a specific shape or design during manufacture; (II) has an end use function(s) dependent in whole or in part upon its shape or design during end use; and (III) which does not release more than very small quantities, e.g., minute trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees."

Disclaimer: This material safety data sheet is provided as an information resource only. M. E. Taylor Engineering believes the information contained herein is accurate but is not warranted to be whether originating with the company or not. It is the responsibility of the user to verify its validity and to confirm in advance of need that the information is current, applicable, and suitable for their circumstances. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.

PAGE 4/4



