

# SAGOLA 419 PREMIUM

PRESSURE SPRAY GUN



elcometer®

Ideal for use with stucco, non-slip coating, decorative flakes, render, The Sagola 419 Premium can also be used for waterproofing and suitable cementitious coatings.

# SAGOLA

## 419 PREMIUM

PRESSURE SPRAY GUN



AS

SC



Application of primers and basecoats.

- **Engineered performance**  
Product and air regulators, air on/off valve, trigger lock, plus product anti-jamming system
- **Simple to clean and maintain**  
Non-stick coating in the body of the spray gun for ease of cleaning
- **Easy application**  
Ideal for use with Elcometer P30B & Elcometer P60B Pressure Tanks

**COMPLIANCE:**

ATEX  2 II GX

(Directive 2014/34/EU)

## TECHNICAL SPECIFICATION

Part Number	Description		
Dimensions	170 x 100 x 320mm (6.7 x 3.9 x 12.6")	Weight	493g (1.09lbs)
Air Inlet Coupling	6.35mm (¼") BSP Male		
Product Inlet Coupling	19mm (¾") BSP Male		
Design Pressure	8bar (116psi)		
Working Pressure	2bar (29psi)		
Materials in contact with product	Anodized aluminium, chromed aluminium, POM, INOX & Brass		
Compliance	ATEX II 2G x (Directive 2014/34/EU)		
Packing List	Sagola 419 Premium Pressure Spray Gun with aircap, needle & nozzle kit (supplied fitted), Hexagonal Wrench & Cleaning Brush		

## PART NUMBERS

Part Number	Description
PG20150701	Sagola 419 Premium Pressure Spray Gun with 4.50mm, 6.00mm & 8.00mm Stainless Steel Aircaps & Nozzles, 2.30mm Needle
PT56418417	Air Flow Regulator; ¼" M-F

## ACCESSORIES & SPARES

Part Number	Description
PT56418272	Sagola 419 Stainless Steel Aircap: 4.50mm
PT56418273	Sagola 419 Stainless Steel Aircap: 6.00mm
PT56418274	Sagola 419 Stainless Steel Aircap: 8.00mm
PT51410911	Sagola 419 Stainless Steel Nozzle: 4.50mm
PT51410912	Sagola 419 Stainless Steel Nozzle: 6.00mm
PT51410913	Sagola 419 Stainless Steel Nozzle: 8.00mm
PT56418065	Sagola 419: Needle & Nozzle Kit - Thin Texture Paint
PT56418066	Sagola 419: Needle & Nozzle Kit - Japanese Pastes
PT56418067	Sagola 419: Needle & Nozzle Kit - Liquid Stone

For a complete list of spares / replacements parts - see Spare Parts.



Ideal for use with Elcometer P30B & P60B



#### **ENGLAND, UK**

Elcometer Limited  
+44 (0)161 371 6000  
sales@elcometer.com  
www.elcometer.com

#### **FRANCE**

Elcometer Sarl  
+33 (0)2 38 86 33 44  
fr\_info@elcometer.com  
www.elcometer.fr

#### **GERMANY**

Elcometer Instruments GmbH  
AALEN: +49 (0) 7361 52806 0  
LEER: +49 (0) 7361 528 06 60  
de\_info@elcometer.com  
www.elcometer.de

#### **THE NETHERLANDS**

Elcometer B.V.  
+31 (0)30 259 1818  
nl\_info@elcometer.com  
www.elcometer.nl

#### **SPAIN**

Sagola SA  
+34 945 214 150  
sagola@sagola.com  
www.sagola.com

#### **JAPAN**

Elcometer KK  
+81 (0)3 6869 0770  
jp\_info@elcometer.com  
www.elcometer.co.jp

#### **REPUBLIC OF SINGAPORE**

Elcometer (Asia) Pte Ltd  
+65 6462 2822  
asia@elcometer.com  
www.elcometer.com

#### **UNITED ARAB EMIRATES**

Elcometer LLC  
+971 4 295 0191  
+971 4 280 3526  
uae\_sales@elcometer.com  
www.elcometer.ae

#### **UNITED STATES OF AMERICA**

Elcometer Inc  
WARREN, MI: +1 248 650 0500  
HOUSTON, TX: +1 713 450 0631  
Toll Free: 800 521 0635  
inc@elcometer.com  
www.elcometer.com

Elcometer is a registered trademarks of Elcometer Limited. Sagola DPC is a trademark of Elcometer Limited. All other trademarks are acknowledged.

Due to our policy of continuous improvement, Elcometer Limited reserves the right to change specifications without notice.

All products are covered by a comprehensive warranty, for more information visit [www.elcometer.com/warranty](http://www.elcometer.com/warranty).

© Elcometer Limited, 2023. All rights reserved. No part of this document may be reproduced, transmitted, stored (in a retrieval system or otherwise), or translated into any language, in any form, or by any means, without the prior written permission of Elcometer Limited.